

General Index

A

- A. rupestris*, 146
- Abra nitida*, 113
- Acartia tonsa*, 60, 62, 63, 64, 65, 66, 67, 68, 70, 71, 72, 73
- ACTH, 198-202
- Actinocythereis exanthemata*, 49, 55
- Activity, fish, measurements of, 138-47
- Acutocythereis multipunctata*, 48, 52
- tuberculata*, 48, 53
- Adrenal activity-blood glucose, 201
- Adrenal histology, goldfish, 199
- Adrenocorticotrophic hormone, mammalian, 198
- Aequipecten irradians*, 3, 157
- Agardiella tenera*, 3, 5
- Age analysis, fish, 77
- Aging, fish, 77
- Alewife, 190, 192, 222
- Algae, 67, 71, 85, 175
- Alimentary canal puncture, fish, 214, 215
- Allometric relationship, mammal, 217
- Alosa aestivalis*, 189, 190
- pseudoharengus*, 189, 190
- Alutera schoepfi*, 100
- Alvordius maculatus*, 104
- American eel, 77, 137, 215
- American oyster, 3
- Ammodytidae*, 215
- Ampelisca* sp., 184
- Amphibian, 171
- Amphipod, 128, 183
- Amphiproa* sp., 122, 123, 124, 125
- Amphiuma means*, 201
- Anesthetic, fish, 194
- Angelovic, J. W., 36-9; 90-4
- Anguilla rostrata*, 77, 78, 137, 215
- Animal control, chemical, 179
- Ant, 81
- Aphredoderus sayanus*, 75, 77, 78, 86
- APL, 194, 195
- hormone, spawn inducing, fish, 193
- Aquatic nymph, 82
- Arbacia*, 157
- punctulata*, 37
- Artemia*, 97, 148, 157, 194, 195, 196
- Arthropod, 171, 184, 188
- Ascidian, 223
- salinity tolerance, 223
- York River, Virginia, 223-4
- Asterionella japonica*, 14, 122, 123, 124, 125
- Atlantic croaker, 3, 37
- radiation tolerance, 37, 38
- Aurelia*, 96
- Aurilia conradi*, 48, 52

B

- Banded sunfish, 77
- Barnacle, 62, 171, 172

Bass

- black, 76
- largemouth, 83, 146, 173
- striped, see striped
- Bay scallop, 157
- Beetle, whirligig, 81
- Biological
 - clocks, 137
 - rhythms, 137, 138
- Black bass, 76
- Black bullhead, 146
- Black crappie, food habits, 83
- Black drum, 174
- Blacknose dace, food habits, 77, 85
- Blenny
 - feather, 100
 - striped, 100
- Blood
 - chemistry, fish, 173-5
 - glucose, adrenal activity, correlation, 201
 - nitrogen, determination of, 165
 - potassium, crab, 34
 - sampling
 - crab, 31, 165
 - fish, 90-1, 173-4
 - Folin-Malmros, 198-201
 - Glucostat, 198-201
 - sodium, crab, 34
 - sugar
 - goldfish, 198-201
 - values, fish, 201
- Bloodworm, 97
- Blueback herring, 190, 191, 192
- Blue crab, 3, 30, 33, 34, 164, 171, 172, 181, 183, 186, 187
- abundance, New England, 164-70
- blood nitrogen, determination of, 165
- blood potassium, 34
- blood sampling, 31, 165
- blood sodium, 34
- ciliate infestation, 171-3
- distribution, Atlantic Coast, 30
- fat determinations, 165
- hypertonicity, 33
- measurements of, 165
- migratory patterns, 169
- osmococoncentrations, blood, 31, 32, 33
- osmoregulation, 30, 34
- plasma constituents, 168-9
- plasma, sugar, 169
- salinity range, 30
- salt water acclimation, 31
- seasonal size distribution, 166
- Bluegill, 76, 79, 82
- Bluespot sunfish, food habits, 83
- Bohun, Sheila, 137-47
- Bolnopsis*, 72
- Bond, G. C., 208-12
- Bookhout, C. G., 148-56; 157-63
- Botryllus schlosseri*, 223
- Bottom cores, estuary, 204
- Bottom samplers, shallow water, 215-7

Brine shrimp, 100, 194

- Brown bullhead, food habits, 87
- Bullhead, black, 146

C

- C. auralus*, 146
- C. carpio*, 146
- C. commersonii*, 146
- Calanus*, 72
- Calanus finmarchicus*, 73
- Calder, D. R., 223-4
- Callinectes sapidus*, 3, 30, 164, 166, 167, 171, 181, 182
- Callistocythere reticulata*, 40, 49, 53
- Campylocythere laeva*, 48, 53
- Canadensis*, 219
- Cancer irroratus*, 169
- Canis lupus*, 218
- lupus lycaon*, 218, 219
- lycaon*, 219
- Carassius auratus*, 38, 90, 198, 200
- Carassius*, 201
- Cargo, D. G., 95-100
- Carnoy's fluid, 199
- Carolina chub, 77, 83
- Carp, 146
- Castagna, M., 179-88
- Caterpillar, 98
- Catfish, 146, 201
- channel, 76, 194
- Indian, 93
- Catostomus c. commersoni*, 78, 87
- Centrarchus macropterus*, 75, 78, 83
- Cerataulina bergonii*, 122, 123, 124, 125
- Ceratium furca*, 122, 123, 124, 125, 131
- Cesium, trace element, 2
- Chabot, B. F., 117-36
- Chaenobryttus guilosus*, 75, 83
- Chaetoceros affinis*, 14, 122, 123, 124, 125
- compressus*, 14, 119, 122, 123, 124, 125
- lorenzianus*, 122, 123, 124, 125
- pendulum*, 122, 123, 124, 125
- septentrionalis*, 122, 123, 124, 125
- socialis*, 122, 123, 124, 125
- subtilis*, 122, 123, 124, 125, 126, 128
- Chain pickerel, 76, 86
- Chanley, P., 179-88
- Channel catfish, 76, 194
- Chasmodes bosquianus*, 100
- Chemical, animal control, 179
- Chesapeake Bay, turbidity, 209
- Chicks, 111
- Chilomonas* sp., 13, 14, 119, 121, 122, 123, 124, 125, 129, 130, 134
- Chi-square test, 139, 141
- Chloride concentration, estuary, 209-10
- Cholesterol, fish, 173-4
- Chrosomus oreas*, 78, 85

- Chrysaora quinquecirrha*, 72, 95, 96, 97, 99, 100
 Chubsucker, creek, 86
 Ciliate infestation, crab, 171-3
Cilinostrum funduloides, 78, 84
 Circadian rhythms, 137, 145, 146
 Clam, 3, 7, 179, 181, 182
 alkaline extraction, 213
 hard, 181, 182
 radiation tolerance, 38, 39
 razor, 183
 soft, 179, 213, 214
 Clarke-Bumpus, 62
 deflecting screen, 61
 Clingfish, 100
Cithrocytherida, sp., 205
 Cobalt-60
 irradiation, 36-9
 fish, 90
 organism tolerance, 36-9
Cochlodinium, sp., 13, 14, 119, 122, 123, 124, 125, 129, 130
 catenatum, 122, 123, 124, 125, 132
 helicoidea, 122, 123, 124, 125
 pupa, 122, 123, 124, 125
 Common shiner, 77, 83
Conchoecia borealis, 40
 elegans, 40
 obtusata, 40
 Copepod, 59, 60, 62, 65, 69, 72, 79, 82
 death rate, 60, 62, 63, 68, 69
 distribution, estuary, 65
 dry weight estimate, 73
 fish food, 72
 growth rate, 62, 65-7, 70, 71
 net avoidance, 73
 pivotal age, 68
 production, Patuxent estuary, 59-74
 salinity range, 60
 turnover time, 59, 62, 68, 69, 72
 Core sampler, sediment, 216
 Core sampling, 185
 Coriolis effect, 25
Coscinodiscus sp., 119, 122, 123, 124, 125
 asteromphalus, 14
 subtilis, 122, 123, 124, 125
 Costlow, J. D., Jr., 148-56; 157-63
 Couch, J. A., 171-3
 Crab, 3, 30, 33, 34, 164, 165, 171, 172, 182, 186, 187
 see under blue
 blood sampling, 165
 blue, 181, 183, 186, 187
 culturing, 149-50, 157-63
 hardshell, 165
 hermit, 183
 larval stages, 149-56, 157-63
 megalops, 151, 155, 162
 pigmentation, 155, 162
 mud, 3, 5, 181, 182, 183
 pigmentation, 149, 155, 158
 xanthid, megalops, 151, 155
 xanthid, megalops, pigmentation, 155
 xanthid, zoal pigmentation, 149
 xanthid, zoal stages, 149-53, 162
 Craft, C. C., 110-1
Crangon septemspinosa, 183
 Crappie, 76
 black, 83
Crassostrea virginica, 3, 38, 179
 Crayfish, 81
 Creek chubsucker, food habits, 86
 Croaker, 5
 Ctenophore, 61, 72
 Culturing, crab, 149-50, 157-63
Cushmanidea, 40, 207
 seminuda, 41, 47, 50, 205, 206, 207
 ulrichi, 47
 Cusk-eel, 215
 striped, 214
Cyanthura sp., 184
Cyclops, 79
Cyclotella sp., 122, 123, 124, 125
Cyprideis, 47, 205
Cythereis albulaculata, 41
 concinna, 41
 dawsoni, 41
 emarginata, 41
 leioderma, 41
 tuberculata, 41
Cytherella danaiana, 47
 edwardsi, 41, 47
 sahnii, 47
Cytheridea? papillosa, 41
 punctillata, 41
 rubra, 51
 sorbyana, 41
Cytheromorpha, 207
 fusca, 207
 pascagoulaensis, 205
 protaphes, 49, 55
Cytheropteron talquinensis, 48, 52
Cytherura, 207
 cf. *C. gibba*, 205, 207
 forulata, 48, 52
 gibba, 41, 48, 52
 howei, 48, 52
 pseudostriata, 40, 48, 52
 undata, 41
 wardensis, 48, 52
- D**
- Dace
 blacknose, 77, 85
 mountain redbelly, 78, 85
 rosy, 78, 84
Daphnia, 59, 72
 Darter, 77, 85
 food habits, 85
 northern swamp, 85
 stripeback, 101-9
Darwinula stenosoni, 206
 Davis, Edna M., 90-4
 Day-Glo pigments, 186
 Deer
 organ-body weight relationship, 217-8
 white-tailed, 217, 218
Diaptomus salinus, 59
 Diatom, 77, 85, 119, 126
 seasonal abundance, 13
Dichelaspis, 171
Dissodactylus mellitae, 162
 Dithizone extraction technique, 4
Ditylum brightwelli, 122, 123, 124, 125
Dorosoma cepedianum, 173, 190
Dosinia exoleta, 112
 lincta, 112
 lupinus lincta, 112
 Drawing aid, biological, 149, 157
 Drift nets, 190, 191
 Drill, oyster, 179, 180, 181, 182, 183, 186, 187
 toxicity, benzene mixture, 185
 Drum, black, 174
 Dry-ashing, 4
 Dry weight estimate, copepod, 73
 Duke, T. W., 1-10
- E**
- E. gibbosus*, 146
E. lucius, 146
E. nigrum, 75
 Earthworms, 98
 Eastern madtom, food habits, 87
 Eastern mud minnow, food habits, 87
 Eastern wolf, 218; ancestry, 218
Ecteinascidia turbinate, 223, 224
Ectocarpus, 3, 5
 Eel, 137-47
 American, 215
 Cusk, 215
 Cusk, striped, 214
 light inhibition, 138
 locomotor activity, 137-47
 nocturnal activity, 140-7
 snake, 214
 Eelgrass, 206, 207
 Elliott, H. A., 203-7
 Ellison, R. L., 203-7; 215-7
 Engle, D. W., 90-4
Enneacanthus gloriosus, 75, 78, 79, 83
 obesus, 77
Ensis directus, 185
Enteromorpha, 3, 5
Epistylis, 171
Erimyzon o. oblongus, 78, 86
Eriocheir, 169
Eriphia spinifrons, 155
Esox niger, 75, 76, 78, 79, 86
 Estuarine circulation, water, 204
 Estuary
 chloride concentration, 209-10
 horizontal boundary, 24
 sediment cores, 204
 suspended minerals, 208-12
 types, 64
Etheostoma (Boleosoma), 85
 f. fusiforme, 78, 85
 nigrum, 75, 77, 78, 80, 85
Eucinostomus, 38
Eucythere argus, 41, 47
 declivis, 41, 47
Eupagurus, 171
Eupleura caudata, 179
 European wolf, 218
 Euryhalinity, fish, 193
Eurypanopeus depressus, 148, 155
 Extinction coefficient, photosynthesis, 119
- F**
- F. diaphanus*, 196
F. kansae, 196

- F. majalis*, 196
Fabia subquadrata, 157, 162, 163
 Fallfish, food habits, 84
 Fat determination, crab, 165
 Feather blenny, 100
 Feeding-sex maturity relationship
 — fish, 189–92
 Fight net, 190, 191
 Filefish, orange, 100
 Fish
 activity, measurement of, 138–47
 age analysis, 77
 alimentary canal puncture, 214, 215
 anesthetic, 194
 blood chemistry, 173–5
 blood sampling, 90–1, 173–4
 blood sugar, 198–201
 distribution, Tuckahoe Creek, Va., 75–89
 euryhalinity, 193
 fasting, 192
 feeding behavior, 189–92
 feeding-sex maturity relationship, 189–92
 food habits, 75–89, 77, 82, 83, 84, 85, 86, 87, 137–47, 173
 gear
 drift net, 190–1
 fight net, 190, 191
 gill net, 190
 hook & line, 190, 191
 hematological responses, 90
 hyperplasia, 199
 irradiation, 90–4
 irradiation doses, 90–1
 light inhibition, 138
 locomotor activity, 137–47
 nocturnal activity, 140–7
 plasma
 cholesterol, 173–4
 constituents, 173–4
 ion concentration, 173
 protein measurements, 173
 prey, size correlation, 82
 radiation sensitivities, 90
 radiation tolerance, 37, 38
 salinity tolerance in *Fundulus*
 larvae, 193–97
 sampling seine, 76
 spawning induced, 193–7
 spawning period feeding, 192
 stomach analysis, 190
 tissue staining, 199–200
 Fixative, Bouin's fluid, 199–200
 Flagellates, seasonal abundance, 12, 13
 Flemer, D. A., 75–89
 Flier, 78, 83
 Flounder, southern, 37, 38
 Fluorescent resin, sand grain marking, 185, 187
Folliculina, 100
 Foraminifera, 206
 Fournier, R. O., 11–9
Fundulus, 176, 196, 197
 heteroclitus, 3, 37, 93, 193, 194, 195, 196, 197
 paravipinnus, 196

G
Gambusia affinis, 75
 affinis holbrooki, 78, 86
 Gamma radiation, fish, effect on
 erythrocytes, 91
 leucocytes, 92–4
 thrombocytes, 92
 Gill nets, 190
 Gizzard shad, 173, 190, 192
Glycera dibranchiata, 97, 98
Gobiosox strumosus, 100
Gobiosoma boscii, 100
 Goby, naked, 100
 Golden shiner, 84, 190, 191, 192
 food habits, 84
 Goldfish, 38, 90, 93, 146, 194, 198, 201
 radiation tolerance, 38
Gonyaulax sp., 122, 123, 124, 125
 Grab sampler, 215–6
Gryosigma spenceri, 122, 123, 124, 125
 Guillard's medium 'f', 12
Gymnodinium sp. 13, 14, 122, 123, 124, 125, 126, 128, 129, 130
 brevis, 119, 122, 123, 124, 125
 splendens, 122, 123, 124, 125, 132

H
H. americana, 51
Hadroplerus maculatus, 104
 notogrammus, 101
Halichondria bowerbanki, 223
 Hamer, P. E., 214–5
 Hanks, R. W., 175–6
Haplocytheridea bradyi, 47
 choctawhatcheeensis, 47
 Hard clam, 3, 181, 182
 Hard-shell crab, 165
 Harvest fish, 100
 Hassler, W. W., 189–92
 Haven, D., 179–88
 Heinle, D. R., 59–74
 Hematological responses, fish, 90
Hemicythere, 205
 villosa, 41
Hemigrapsus oregonensis, 33, 34
 Hermit crab, 183
 Heron, 222
 Herring
 blueback, 192
 salinity tolerance, 196
Hexagenia, 79
Hexapanopeus angustifrons, 148, 149, 150, 151, 152, 153, 154, 155, 156
 Hillman, R. E., 112–3
 Histology, fish, 199
H. nudus, 33
 Hogarth, W. T., 101–9
 Homoiothermous vertebrates, 217
 Honeysuckle, 76
 Hook and line, fishing, 190, 191
 Hormone-induced spawning, fish, 193–7
 Hulings, N. C., 40–56
 Hulingsina, 51
 Hulingsina cf. *H. sulcata*, 205
 Hunn, J. B., 173–5

Hybognathus nuchalis regius, 78, 85
Hybopsis biguttata, 84
 leptocephala, 75, 77, 78, 83, 84
 micropogon, 84
 Hydraulic dredge-sieve sampler, 180
 Hydrographic data, Rappahan-nock River, Va., 204
 Hyperplasia, adrenal gland, fish, 199
 Hypertonicity, crab, 33
Hypsoblennius hentzi, 100

I
I. melas, 146
Ictalurus natalis, 78, 87
 nebulosus, 78, 87, 146
 punctatus, 76
Ilyocythere, 47
 Incident light, photosynthesis, 119
 radiation, 126
 Indian catfish, 193
 Irradiation chamber
 small organisms, 37
 Cobalt 60, 36–9, 90
 fish, 90–4
 Isotonicity, shrimp, 34

J
 Jeffries, H. P., 164–70
 Jellyfish, 61, 72
 Joseph, E. B., 193–7

K
 Killifish, salinity tolerance, 195, 196

L
L. artedi, 146
L. bellus diegensis, 148
L. eupagurus, 171
L. metopauliadis, 171
L. vaginocola, 171
Lagenophrys, 171, 172
Lagodon rhomboides, 38, 90
 Largemouth bass, food habits, 83, 146, 173
Ld₅₀, 36–9
Lepomis auritus, 75, 78, 82
 gibbosus, 78, 82, 173
 macrochirus, 75, 76, 77, 78, 79, 80, 82
Leptocylindrus danicus, 119, 121, 122, 123, 124, 125, 134
 Light inhibition, fish, 138
 Lily pads, 79
Limnocalanus johanseni, 73
Limnocythere sp. A., 205; sp. B., 205, 206
Littorina irrorata, 3
 Locomotor activity, fish, 137–47
Lophopanopeus leucomanus leucomanus, 148
 Lowry, J. K. 223–4
Loxozoncha, 206
 granulata, 49, 55
 impressa, 205, 206

Lumbrineris tenuis, 184
Lycaon, 219

M

Madtom, eastern, 87
 Mammal
 adrenocorticotrophic hormone, 198
 allometric relationship, 217
 Mantis shrimp, 183
 Mantle, fold origin, Quahog, 112-3
 Manville, R. H., 218-20
 Marsh grass, 3
Massartia rotundata, 13, 122, 123, 124, 125
 Meade, R. H., 208-12
Melosira sp., 119, 122, 123, 124, 125
 borreri, 122, 123, 124, 125
 islandica, 122, 123, 124, 125
 sulcata, 122, 123, 124, 125
Menidia, 176
Menippe mercenaria, 148, 155
Mercenaria mercenaria, 3, 38, 179, 182
 Methyl carbamate Sevin, drill control, 179
Metopaulias depressus, 171
 Mice, white, 111
Microcytherura choctawhatcheensis, 48, 52
 fulva, 48, 52
 Microflagellate, 119
Micropogon undulatus, 3, 37
Micropterus salmoides, 83, 146, 173
 s. salmoides, 78
 Migration, crab, 169
 Millipore-filtered, 7
 "Milky water," decomposing vegetation, 175-6
Minchinia costalis, 187
 Minnow, 146; silvery, 85
Mitrella lunata, 185
Mnemiopsis, 72
 Mojarra, 37; radiation tolerance, 37
Molgula manhattensis, 223
 Mollusc, 171, 184, 185, 188; glycogen content, 213
 Mollusk, 6
Morpha fuscata, 205
 Mosquitofish, food habits, 86
 Mountain redbelly dace, 78, 85
Mozostoma rhothoeca, 78, 86
 MS 222, anesthetic, 194, 195
 Mud crab, 3, 5, 181, 182, 183
 Mudminnow, eastern, 87
 Mud shrimp, 183; snail, radiation tolerance, 37, 38
Mugil cephalus, 37
 Mullet, striped, 37, 38
 Mummichog, 3, 5, 37, 193
 radiation tolerance, 37, 38
Murrayina canadensis, 41, 49, 55
Mya arenaria, 179, 213
 Mysid, 72

N

Nace, P. F., 198-202
 Naked goby, 100
Nassarius obsoletus, 37

Navicula spp., 119, 122, 123, 124, 125
Neopanope packardii, 148, 155
 texana sayi, 148, 155
Nereis succinea, 98
 virens, 98
 Net avoidance, plankton, 73
 Nichols, M. M., 203-7; 215-7
 Nitrogen determination, blood, crab, 165
Nitzschia closterium, 122, 123, 124, 125
 pungens var. *atlantica*, 14
 Northern pike, 146
 Northern swamp darter, food habits, 85
Notemigonus crysoleucas, 78, 84, 189, 190
Notropis analostanus, 78, 83
 cornutus, 75, 77, 78, 83
 rubellus, 78, 83
 semperasper, 77
Noturus i. insignis, 78, 87
 Nutrients, as narcotic, 17
 enrichment, phytoplankton, 11-9
 inhibition, 16

O

Odocoileus virginianus, 217
 Oguri, M., 198-202
Opichthidae, 214
Opsanus tau, 173
 Orange filefish, 100
 Organ-body weight relationship, deer, 217-8
 Osmoregulation
 crab, 30, 34
 shrimp, 34
 Osprey, 220, 221, 222, 223
 distribution, New Jersey, 221-2
 pound net relationship, 221-2
 Ostracod, 203, 206
 description, 40
 distribution
 estuary, 203-7
 Rappahannock River, 203-7
 paleoecological conditions indicator, 203-7
 sexual dimorphism, 50, 52, 54
 western North Atlantic, 40-56
 Ostracoda, 204
 Oxygen
 analysis, water, 12
 dissolved, Chesapeake Bay, 176
 sampling, 119
 Oyster, 5, 7, 38, 100, 180, 181, 184, 185, 186, 187, 213, 214
 radiation tolerance, 38, 39
 spat, 179
 toadfish, 173, 174
 toxic, as chick food, 110-1
 Oyster drill, 183
 control, 179
 radiation tolerance, 38

P

P. ostreum, 157, 162, 163
P. phorinus, 146
P. pisum, 157, 162
P. taylora, 157, 162, 163

P. verum, 157, 162, 163
Pachygrapsus crassipes, 33, 34
 Pagurid, 183
Pandion haliaetus carolinensis, 220
Panopeus herbstii, 3, 148, 155, 156
Parafolliculina, 100
Paralichthys lethostigma, 37
Parazanthias taylora, 148
 Patten, B. C., 20-9; 117-36
 Patuxent estuary, physical characteristics, 63-4
 Pelecypod, 184, 185
Penaeus duorarum, 34
 setiferus, 34
Peprilus alepidotus, 100
Perca flavescens, 146, 173
 Perch, 146
 pirate, 77, 86
 white, 173, 174
 yellow, 146, 173
Percina notogramma, 78, 86, 101, 108
 montuosa, 101, 102, 106, 107, 108, 109
 notogramma, 102, 103, 104, 106, 107, 109
 pellata, 101, 105, 109
 pellata pellata, 104
Peridinium sp., 122, 123, 124, 125
 depressum, 122, 123, 124, 125, 126, 127, 128, 129, 134, 135
 monospinum, 122, 123, 124, 125
 triquetrum, 13, 119, 122, 123, 124, 125
Perissocytheridea brachyforma, 205, 206, 207
Perophora viridis, 223, 224
 Petersen dredge, 184
 Petersen grab, 40, 180, 188
 Photosynthesis
 extinction coefficient, 119
 incident light, 119
 water column, vertical, 120-36
 Phytoplankton
 autotrophic synthesis, 20
 inhibition, 16
 nutrient enrichment, 11-9
 production, 15
 respiration, 15
 Pickerel, 79
 chain, 76, 86
 Pigment, Day-Glo, 186
 Pike, northern, 146
 Pikeperch, yellow, 146
Pilumnus sp., 155
 sayi, 148
 Pinfish, 38, 90, 93
 gamma irradiation, effects of, 90-4
 radiation tolerance, 38
Pinnotheres maculatus, 157, 158, 159, 160, 161, 162, 163
 Pipefish, 215
 Pirate perch, 77, 86
 food habits, 86
 Plankton
 net avoidance, 73
 sub sampling, 62
 Plasma constituents, crab, 168-9
Pleurosigma angulatum, 122, 123, 124, 125, 128
Pogonias cromis, 174

- Polar planimetry, 62
 Polychaete, 183, 184, 188
 Polystream (benzene), drill control, 179
Pomoxis, 76
 nigromaculatus, 78, 83
Pontocythere argicola, 47
 ashermani, 47
 rubra, 41
 ichernjanskii, 51
 turbida, 47, 51
 Price, T. J., 1-10
 Productivity
 estuary, 117-36
 factorial, 117-36
 primary, 117-36
 primary, determinations, 117
Propontocypris, 46
 houei, 42, 46, 47
 trigonella, 46
Prorocentrum micans, 13, 119, 122, 123, 124, 125, 131, 133
 Protein measurements, fish
 plasma, 173
Protocytherella, 40
Protothaca (= *Venerupis*) *staminea*, 112
Pseudocythereis spinifer, 49, 55
 Pumpkinseed, food habits, 82, 173
Puriana rugipunctata, 49, 55
- Q**
 Quahog, 112-3
 mantle fold origin, 112-3
- R**
 Radiation
 animal tolerances, 36-9, 90
 clam, 38, 39
 fish, 37, 38, 90
 mullet, 37, 38
 oyster, 38, 39
 oyster drill, 38
 snail, 37, 38
 sensitivities, fish, 90
 Radioactive sodium, 2
 Rainbow trout, radiation tolerance, 38
 Redbreast sunfish, 78
 Respiration, phytoplankton, 15
Retusa canaliculata, 185
Rhinichthys atratulus, 77, 78, 85
Rhithropanopeus harrisi, 155, 156
Rhizoclonium tortuosum, 3, 5
Rhizosolenia calcar avis, 122, 123, 124, 125, 128
 delicatula, 122, 123, 124, 125
 fragilissima, 14, 122, 123, 124, 125
Rhodomonas (?) sp., 122, 123, 124, 125, 128, 129, 135
 Rhythms, biological, 137, 138
Rissola, 215
 marginata, 214
 Roberts, M. H., Jr., 20-9
 Robinson, P. F., 173-5; 217-8
Roccus americanus, 173
 saxatilis, 174, 189, 214
 Rockbass, 146
 Rosen, B., 213-4
 Rosy dace, 78, 84
 Rosyface shiner, food habits, 83
 Roughhead shiner, 77
- S**
S. canadense, 146
S. vitreum, 146
S. vulgaris, 146
Sahnia fasciata, 41, 48
 subulata, 48
 Saksena, V. P., 193-7
 Salinity range,
 copepod, 60
 crab, 30
 sampling, 119
 tolerance,
 ascidian, 223
 herring, 196
 killifish, 195, 196
 larvae vs. adult, fish, 196
 mummichog, 193-97
 sea nettle, 98
Salmo gairdnerii, 38
 Salmon, 201
 Salt water acclimation, crab, 31
 Sampler, Clarke-Bumpus, 61, 62
 Sampling
 blood, 90-1, 173-4
 bottom grab, 215-6
 copepod, 60
 crab, 165
 dissolved oxygen, 119
 fish, drift nets, 190-1
 hydraulic dredge, 180, 181, 183
 millipore filter, 5
 Petersen dredge, 184
 Petersen grab, 40, 180, 188
 plankton, 62
 salinity, 118
 sea nettle polyp, 96
 sediment, 22
 sediment cores, 185
 seine, 76
 temperature, 118
 Sand grain
 marking, 185
 size analysis, 208-9
 Sand lance, 215
 Sand shrimp, 183
Sarsiella zostericola, 41
Sarsocythere, 41
 Satfin shiner, food habits, 83
Saugers, 146
Saxidomus giganteus, 112
 Scale analysis, aging, fish, 77
 Scallop, 3, 6, 7; bay, 157
 Schmid, F. C., 220-3
 Schultz, L. P., 95-100
 Scintillation detector, 3
 Sculpin, 201
 Sea gull, 176
 Sea lettuce, 175
 Sea nettle, 72
 biology, 95-100
 cyst formation
 ephyrae distribution, Chesapeake Bay, 97
 fish food, as, 100
 growth, temperature factor, 99
 polyp distribution, Chesapeake Bay, 97
 polyp substrata, 96
 salinity tolerance, 98
 sampling, 96
 survival, salinity factor, 98-9
 Sea urchin, 37, 38
 Seaweeds, 3
 Sediment
 adsorption, 5, 6
 core sampler, 185
 cores, estuary, 3
 dry ashing, 4
 grain marking, 185, 187
 sampling, 22, 216
 size, estuary, 3
 traps, 22
Semolilus corporalis, 78, 84
 Seston
 sinking characteristics, 20-9
 vertical distribution, 20-9
 Sexual dimorphism, ostracod, 50, 52, 54
 Shad, 72, 222
 gizzard, 190, 192
 Shiner
 common, 77, 83
 golden, 84, 190, 191, 192
 rosyface, 83
 roughhead, 77
 satfin, 83
 Short razor clam, 183
 Shrimp, 81
 brine, 194
 isotonicity, 34
 mantis, 183
 mud, 183
 osmoregulation, 34
 sand, 183
 Shuster, C. N., Jr., 112-3
 Silvery minnow, food habits, 85
 Sinking rate, solids, 27
 Size analysis, sand grains, 208-9
 Size distribution, mineral grains, 208-12
Skeletonema, 128, 129, 130, 131, 134
 costatum, 14, 17, 119, 122, 123, 124, 125, 126, 133
 Snail, 3, 82
 mud, 37, 38
 radiation tolerance, 38
 Snake eel, 214
 Soft clam, 179, 213, 214
 glycogen extraction, 213
 Sole, 146
 Southern flounder, radiation tolerance, 37, 38
Spartina alterniflora, 3, 5, 21
 Spat, oyster, 179
 Spectrometer, 3
 Sponge, 223
Squilla empusa, 183
 SSO, pathogen, 187
 Staining
 fish tissue, 199, 200
 invertebrates, rose Bengal stain, 204
 Stomach analysis, fish, 190
 Stream classification, freshwater, 79
 Stripeback darter
 distribution, Chesapeake drainage, 101-9
 fin count, 107-8
 food habits, 86

- James River population, 101-9
 meristic index, 106, 107-8
 scale count, 105, 106, 107-8
 vertebral count, 107-8
 Striped bass, 174, 189, 190, 191, 192, 214, 215
 feeding behavior, 189-92
 Striped blenny, 100
 cusk-eel, 214
 mullet, radiation tolerance, 37, 38
 Sturtevant, W. C., 218-20
 Sub-sampling, plankton, 62
 Sucker, 146; torrent, 78, 86; white, 87
 Sunfish, 146
 banded, 77
 bluespot, 83
 redbreast, 78
 warmouth, 83
 yellow belly, 82
 Suspended mineral grains, estuary, 208-12
 Swamp darter, northern, 85
Syngnathus sp., 215
- T**
- Tagelus divisus*, 183, 185
 Tan, Eng-Chow, 30-5
Tapes semidecussata (= *philippinarum*), 112
 Tatro, M. C., 213-4
 Temperature sampling, 118
 Tench, 90, 93
 Test, chi square, 139, 141
Thais lamellosa, 38
Thalassionema nitzschoides, 122, 123, 124, 125
Thalassiosira sp., 122, 123, 124, 125
 gravid, 122, 123, 124, 125
 rotula, 122, 123, 124, 125
 Thornborough, J. K., 223-4
- Tinca vulgaris*, 90
 Toadfish, 198, 201
 oyster, 173, 174
 Torrent sucker, 78, 86
 Trace element analysis, 3
 cesium, 2
 detection, scintillation detector, 3
 detection, spectrometer, 3
 estuary, 1-10
 experimental ponds, 2, 3
 radioactive sodium, 2
Trachyleberis dunelmensis, 41
Trapezia sp., 155
 Trent, L., 189-92
Tringilymus arenicola, 41, 49, 53
 denticulata, 40, 49, 53
 Trout, 201; rainbow, 38
 Turbidity, Chesapeake Bay, 209
 Tullibee, 146
- U**
- Ulva*, 175, 176
 lactuca, 175
Umbra limi, 87
 pygmaea, 78, 87
Upogebia affinis, 183
Urocythereis, 205
Urosalpinx cinerea, 38, 179, 182
- V**
- Van Engel, W. A., 30-5
Venerupis pullastra, 112
Venus striatula, 112
- W**
- Walters, L. C., 110-1
 Ward, Janice, 213-4
 Warmouth sunfish, 83
 Wass, M., 179-88
 Whipple disc, drawing, 149, 157
 Whirligig beetles, 81
 Whitcomb, J., 179-88
 White, J. C., Jr., 36-9
 White mice, 111
 White perch, 173, 174
 White sucker, food habits, 87
 White-tailed deer, 217, 218
 Willis, J. N., 1-10
 Winn, H. E., 137-47
 Wolf
 eastern, 218
 European, 218
 Woolcott, W. S., 75-89; 101-9
- X**
- Xantho* sp., 155
Xestoleberis depressa, 41
- Y**
- Yellowbelly sunfish, 82
 Yellow bullhead, 87
 food habits, 87
 Yellow perch, 146, 173
 Yellow pikeperch, 146
 Young, D. K., 20-9
- Z**
- Zinc, sea water content, 1
 stable, 1-10
 Zinc 65, 2
 invertebrate accumulation, 5, 6
 seaweed accumulation, 5
 sediment adsorption, 5, 6
 sediment reservoir, 7
 trace element, 1-10
 vertebrate accumulation, 5
 Zoal stages, see under crab
Zostera maritima, 206

